

History of Changes

Table of contents

1	Introduction and explanation of symbols.....	2
2	Version 1.3.1 (9 May 2008).....	2
2.1	Changes to the Code Base.....	2
2.2	Contributors to this release.....	2
3	Version 1.3 (07 Feb 2008).....	3
3.1	Changes to the Code Base.....	3
3.2	Contributors to this release.....	3
4	Version 1.2 (21 July 2007).....	4
4.1	Changes to the Code Base.....	4
4.2	Contributors to this release.....	4
5	Version 1.1 (22 Dec 2006).....	4
5.1	Changes to the Code Base.....	4
5.2	Contributors to this release.....	4
6	Version 1.0 (17 Apr 2006).....	5
6.1	Changes to the Code Base.....	5
6.2	Contributors to this release.....	5
7	All Committers.....	5



1 Introduction and explanation of symbols

Changes are sorted by "type" and then chronologically with the most recent at the top. These symbols denote the various action types: =add, =fix, =update

2 Version 1.3.1 (9 May 2008)

2.1 Changes to the Code Base

- Added fallbacks for Type 1 fonts which don't have the normal "one", "two" etc. glyphs, but actually only provide "oneoldstyle", "twooldstyle" etc. Committed by JM.
- Added an image loader for XML Graphics Commons' internal TIFF codec. Committed by JM.
- Added image processing hints to ignore an optionally embedded color profile in JPEG images. Committed by JM.
- Made file URLs with a host (as happens when using UNC paths) work when loading images. Committed by JM. See Issue [44902](#).
- Bugfix for classpath resources: the code doesn't just check the system class loader anymore. Committed by MB.
- Bugfix for a potential multi-threading issue concerning the use of the java.text package. Committed by JM.
- Bugfix for extracting ICC color profiles from JPEG images. Committed by JM.
- Fixed two cases of unclosed input streams in image loader code. Committed by JM.
- Bugfix for unhandled NumberFormatException in Glyphs when a unknown glyph name starting with "u" is found. Committed by JM.
- Bugfix for ImageEncodingHelper which produced false results if an image's sample model used BGR instead of RGB. Committed by JM.
- Fixed behaviour for the cases where a corrupt PNG image is encountered. Committed by JM.
- Bugfix for EOFException when pre-loading very small PNG images (file size < 88 bytes). Committed by JM.

2.2 Contributors to this release














We thank the following people for their contributions to this release.

This is a list of all people who participated as committers:

Jeremias Märki (JM), Max Berger (MB).

3 Version 1.3 (07 Feb 2008)

3.1 Changes to the Code Base

-  Image Loading: Support for passing in SAXSource instance. Committed by JM. Thanks to Adam Strzelecki. See Issue [44466](#).
-  The package org.apache.xmlgraphics.image.loader was added. It contains a general image loading framework for various image formats (bitmap & vector). Committed by JM.
-  XMP: Added support for structured properties. Committed by JM.
-  PostScript: Added classes for "BoundingBox" DSC comments. Committed by JM.
-  Added support for classpath resources (find files in JAR files in the classpath using their MIME type) Committed by JM. Thanks to Max Berger. See Issue [42980](#).
-  Application of the patch in Bugzilla 43069: New Macro safe-set-page-device which guards against the possibility of invalid/unsupported postscript key/values being issued to the implementing postscript page device Committed by CB. Thanks to Adrian Cumiskey. See Issue [43069](#).
-  Bugfix for ISO 8601 date formatting with negative time zones in the XMP package. Committed by JM.
-  Bugfix for XMP serialization: arrays with only one entry were serialized as simple property which could lead to information loss for merge operations. Committed by JM.
-  PostScript: Fixed %%EOF checking for nested documents. Committed by JM.
-  PostScript: Improved robustness of DSC parsing (multi-line comments with no value on the first line don't cause crashes anymore, fallback for unparsable DSC comments). Committed by JM.
-  Fixed a possible NPE in the TIFF codec (in the TIFFImage constructor). Committed by JM. Thanks to Sergey Orlov. See Issue [43120](#).
-  Support for Java 1.3 has been dropped. Java 1.4 or later is required now. Committed by JM.
-  PostScript: Improved PSImageUtils by introducing the ImageEncoder interface and allowing for streams instead of byte arrays for data transfer which can lower memory consumption. Committed by JM.

3.2 Contributors to this release

We thank the following people for their contributions to this release.

This is a list of all people who participated as committers:




Chris Bowditch (CB), Jeremias Märki (JM).

This is a list of other contributors:

Adam Strzelecki, Adrian Cumiskey, Max Berger, Sergey Orlov.

4 Version 1.2 (21 July 2007)

4.1 Changes to the Code Base

-  Added support for CMYK and GRAY color spaces for PSGenerator (moved there from PSGraphics2D). Committed by JM. Thanks to Adrian Cumiskey. See Issue [42507](#).
-  Fixed literal text string escaping in PSGenerator. Some characters were not properly escaped. Committed by JM.
-  Fixed the PDF/A namespace according to ISO-19005-1:2005/Cor.1:2007 and deprecated the use of the draft PDF/A namespace used by Adobe Acrobat 7.x. Committed by JM.

4.2 Contributors to this release

We thank the following people for their contributions to this release.

This is a list of all people who participated as committers:







Jeremias Märki (JM).

This is a list of other contributors:

Adrian Cumiskey.

5 Version 1.1 (22 Dec 2006)

5.1 Changes to the Code Base

-  Added the start of an XMP metadata framework. Committed by JM.
-  ImageWriter abstraction now supports writing multi-page formats like TIFF. Committed by JM.
-  ImageWriter implementation for TIFF output using Image I/O API. Committed by JM.
-  Default implementation for AbstractGraphics2D.drawText(ACI, float, float) so PSGraphics2D supports painting text using the AttributedCharacterIterator. Committed by JM. Thanks to Max Berger.
-  Various fixes and improvements in the ImageWriter abstraction. Committed by JM.
-  Bugfix: The generation of the PostScript setdash command was assuming that only integer values can be used but that isn't the case. Committed by JM.

5.2 Contributors to this release

We thank the following people for their contributions to this release.

This is a list of all people who participated as committers:


Jeremias Märki (JM).

This is a list of other contributors:

Max Berger.

6 Version 1.0 (17 Apr 2006)

6.1 Changes to the Code Base

-  Initial release with several components from Batik and FOP: Image codecs, Image writer abstraction, I/O classes, Java2D helpers, PostScript library with Graphics2D implementation. Committed by JM.

6.2 Contributors to this release

We thank the following people for their contributions to this release.

This is a list of all people who participated as committers:

Jeremias Märki (JM).

7 All Committers

This is a list of all people who have ever participated as committers on this project.

- Max Berger (MB)
- Chris Bowditch (CB)
- Adrian Cumiskey (AC)
- Christian Geisert (CG)
- Vincent Hennebert (VH)
- Clay Leeds (CL)
- Jeremias Märki (JM)
- Cameron McCormack (CM)
- Simon Pepping (SP)
- Volunteer needed (open)